


Accessories Catalog Heating solutions

For Cars, Trucks, Light-duty Vehicles, Special Vehicles, Rail and Recreational Vehicles



2019/2020



Dear Customers, dear Webasto Partners,

this Webasto catalog will give you an overview of the complete range of accessories for our current heating systems. On the following pages, you will find everything that you need for installing our heating systems, according to the type of vehicle, location and use. The mounting parts, test equipment and tools shown here are clearly laid out to enable you to find and order what you need quickly.

Together with the second accessory catalog for air-conditioning solutions and the product catalogue (showing the basic scope of delivery, installation kits and control units), this catalog will provide a comprehensive source of information so that you can work efficiently with our heating and cooling units.

We wish you great success with our products,

Your Webasto Team

Table of Contents

Combustion Air Line	8
---------------------	---

Exhaust System	10
----------------	----

Fuel System	15
-------------	----

Hot Air System	26
----------------	----

Water System	36
--------------	----

Valve	43
-------	----


Mounting Parts	46
----------------	----

Electrical Accessories	54
------------------------	----

Maintenance and Diagnostics	69
-----------------------------	----

Application of an air heating system

Webasto air heating systems can be ordered tailored to your needs. The standard components are combined into a basic scope of delivery and a specific installation kit. You may need additional application material, depending on the application requirements and the installation location. You can find these in our comprehensive accessories program.




Advantages of air heating systems

- Low investment and installation cost
- Easy integration in the vehicle
- Short heating times
- Individual configuration of the air distribution
- Recirculating air or fresh air mode

Application of a water heating system

Webasto water heating systems can be ordered tailored to your needs. The standard components are combined into a basic scope of delivery and a vehicle specific installation kit. You may need additional application material, depending on the application requirements and the installation location. You can find these in our comprehensive accessories program.



Combustion Air Line

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 90	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Order number
Intake muffler pipe							
Di = 22 mm, L = 800 mm, PAK, without penetration protection cap	■						1322455A
Di = 25 mm, L = 650 mm, AK / PAKL, AK / PAKL, with penetration protection cap		■					1319924A
Di = 30 mm, L = 1160 mm, PAK / PAKL, without penetration protection cap		■					1319607A
Intake muffler							
Da = 21 mm, L = 97 mm, black, plastic, with mounting base and installation instructions	■	■	■	■	■		98141A
Air intake silencer							
Da = 24.2 mm, L = 138 mm, plastic, complete with 300 mm flexible pipe, D1a = 24 mm	■						9025956A
Combustion air elbow							
plastic							
Di = 22 mm	■	■	■	■	■		1320144A
Di = 25 mm		■					1320278A
Flexible exhaust pipe							
Di = 30 mm, Da = 34 mm, stainless steel				■			1321494A
L = 3000 mm				■			1321495A
L = 5000 mm				■			1321496A
L = 10000 mm				■			1321493A

Combustion Air Line

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 90	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Order number
Flexible pipe							
Di = 18 mm, L = 1000 mm, APGA-A					■	■	1319593A
Di = 30 mm, L = 5000 mm, KAK					■		1321510A
Di = 30 mm, L = 20000 mm, KAK					■		1321509A
Di = 22 mm, L = 10000 mm, PAK	■				■	■	1321566A
Di = 22 mm, L = 20000 mm, PAK	■				■	■	1321565A
Di = 25 mm, L = 5000 mm, PAK	■	■			■	■	1321587A
Di = 25 mm, L = 10000 mm, PAK	■				■		1321588A
Di = 25 mm, L = 20000 mm, PAK	■				■		1321586A
Di = 30 mm, L = 5000 mm, PAK					■		1321557A
Di = 30 mm, L = 10000 mm, PAK					■		1321558A
Di = 30 mm, L = 20000 mm, PAK					■		1321542A
Protection cap							
plastic							
Di = 27 mm					■		1320257A
Di = 36 mm				■	■		1321067A
Di = 39 mm					■		1320258A


Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Order number
	Condensate drain L = 128 mm, copper, with mounting parts, for exhaust connecting pipe 1319935A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							92621A
	End fixing kit				<input checked="" type="checkbox"/>							1317567A
	Exhaust deflector Di = 67 mm, Da = 86 mm, H = 62 mm			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							1320436A
	Hot air elbow Di = 71 mm, Da = 67 mm, L = 170 mm, W = 85 mm, painted, 90°			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>							1319441A
	Exhaust elbow Di = 24 mm, Da = 24 mm, L = 110 mm, stainless steel, without condensate drain	<input checked="" type="checkbox"/>										1320383A


Exhaust System

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Order number
	Exhaust elbow Di = 22 mm, Da = 22 mm, L = 65 mm, aluminium, without condensate drain	<input checked="" type="checkbox"/>										1320117A
	Exhaust elbow Di = 24 mm, Da = 24 mm, L = 110 mm, stainless steel, with condensate drain		<input checked="" type="checkbox"/>									1320378A
	Exhaust muffler Da = 22 mm, L = 179 mm, W = 45 mm, stainless steel			<input checked="" type="checkbox"/>	1320910A							
	Exhaust muffler L = 170 mm, W = 85 mm, H = 45 mm Da = 22 mm, stainless steel			<input checked="" type="checkbox"/>	1320895A							
	Exhaust muffler Da = 22 mm, steel, zinc powder paint surface protection for temperatures up to 650 °C			<input checked="" type="checkbox"/>	1320841A							
	Exhaust muffler Da = 24 mm, steel, zinc powder paint surface protection for temperatures up to 650 °C			<input checked="" type="checkbox"/>								1320372A
	Exhaust muffler Da = 38 mm, L = 206 mm, W = 57 mm, steel, surface protection zinc powder paint for temperatures up to 600 °C				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320840A

Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Order number
	Exhaust muffler Da = 38 mm, L = 270 mm, W = 130 mm, stainless steel	■	■ ■ ■ ■					■			1321397A
	Exhaust muffler Di = 38 mm, L = 1000 mm, Outside with partial fiberglass insulation						■				1321823A
	Exhaust pipe reducer sleeve Di = 22 mm, Da = 24 mm, L = 40 mm, stainless steel	■									1320382A
	Flexible heat protection pipe L = 10000 mm Di = 28 mm, GA-A (aluminium foil and aluminium coated glass fabric) Di = 45 mm, GA2-A (aluminium and aluminium coated glass fabric)	■	■ ■ ■ ■					■			1321601A 1321602C



Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Order number
	Flexible pipe Di = 22 mm, Da = 26 , L = 1000 mm, stainless steel, with end cap	■	■ ■ ■ ■								1322414A
	Flexible pipe Di = 24 mm, Da = 28 mm, L = 10000 mm, stainless steel, with end cap		■								1321523A
	Flexible pipe Di = 38 mm, Da = 41 mm, L = 1000 mm, stainless steel, with end cap										1322674A
	Flexible pipe Di = 38 mm, Da = 41 mm, L = 5000 mm, stainless steel										1321540A
	Flexible pipe Di = 38 mm, Da = 41 mm, L = 10000 mm, stainless steel										1321541A
	Flexible pipe Di = 38 mm, Da = 41 mm, L = 20000 mm, stainless steel										1321539A
	Flexible pipe Di = 70 mm, Da = 73.6 mm, L = 10000 mm, stainless steel										1321567A
	Flexible pipe Di = 70 mm, Da = 70 mm, L = 5000 mm, stainless steel										1321568A
	Insulating sleeve L = 120 mm, W = 108 mm, glass fabric, for exhaust mufflers 1320841A and 1320895A	■	■ ■ ■ ■								1320848A
	Insulating tape L = 50000 mm, W = 60 mm, white, E-glass, usage temperature 450 °C, 550 °C for short periods, 2 mm thick	■	■ ■ ■ ■								1320357A
	Flexible heat protection pipe Di = 28 mm, Da = 38 mm, L = 324 mm, with cover, non-flammable, interior resistant to temperatures up to 500 °C	■	■ ■ ■ ■								1319670A

Exhaust System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Top Evo	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Order number
											
Protection cap											
L = 17 mm, stainless steel, for flexible exhaust pipe											
Di = 26 mm	■	■	■	■	■						1320109A
Di = 28 mm		■									1320217A
Di = 42 mm					■	■					1321753A
											
Heat protection hose											
Di = 70 mm, Da = 120 mm, L = 1850 mm, fiberglass	■	■	■	■	■	■	■	■	■		1320830A
											
Spacer											
Di = 25 mm, Da = 48 mm, W = 21 mm, for flexible pipe	■	■	■	■	■						1317843A
											
Exhaust connecting pipe											
Da = 24 mm, L = 65 mm, steel, with anti-corrosion protection and condensate drain	■										1319935A
Da = 24 mm, L = 50 mm, stainless steel, without condensate drain	■										1319937A
Da = 38 mm, L = 65 mm, stainless steel, with condensate drain, for exhaust mufflers 1320841A and 1320895A					■						1320959A
											
Exhaust mounting kit											
with pipe clamp and 2 brackets											
								■			9035487A


Fuel System

	DBW 2010/2016	Thermo 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
										
Banjo										
L = 10 mm, steel zinc coated										
Di = 10 mm, Da = 5 mm	■	■	■							1320747A
Di = 10 mm, Da = 6 mm	■	■	■							1321062B
Di = 12 mm, Da = 6 mm	■	■	■							1319355B
										
Banjo bolt										
L = 25 mm, steel zinc coated, M10 x 1 connection thread	■	■	■							1320999A
										
Mini Jacket fuel pump protector										
Protection device for fuel pumps with mufflers, required by ISO 7840 if the fuel system is installed in engine rooms	■	■	■	■	■	■	■	■	■	1319522A
										
Flexible heat protection pipe										
GA-A (aluminium foil and aluminium coated glass fabric)										
Di = 14.5 mm, Da = 16.5 mm, L = 20000 mm	■	■	■	■	■	■	■	■	■	1321584B
Di = 14.5 mm, Da = 16.5 mm, L = 5000 mm	■	■	■	■	■	■	■	■	■	1321585B
Di = 28 mm, Da = 31 mm, L = 2000 mm	■	■	■	■	■	■	■	■	■	1322650A
Di = 28 mm, Da = 31 mm, L = 20000 mm	■	■	■	■	■	■	■	■	■	1317127A
										
Fuel extractor, T-piece										
L = 50 mm, copper										
H = 26 mm, 6 x 5 x 6	■	■	■	■	■	■	■	■	■	1319300A
H = 28 mm, 8 x 5 x 8	■	■	■	■	■	■	■	■	■	1319301A

Fuel System

	DBW 2010/2016	Thermo 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Fuel extractor, T-piece L = 50 mm, plastic H = 36 mm, 6 x 5 x 6 H = 38 mm, 8 x 5 x 8 H = 39 mm, 10 x 5 x 10 H = 40 mm, 12 x 5 x 12									1321002A
	H-shaped fuel extractor L = 50 mm, steel zinc coated, Extraction at 90° elbow H = 28 mm, 6 x 5 x 6 H = 28 mm, 8 x 5 x 8 H = 28 mm, 10 x 5 x 10 H = 39 mm, 12 x 5 x 12									1319520A
	Fuel extractor, T-piece L = 50 mm, steel zinc coated H = 33 mm, 5 x 5 x 5 H = 35 mm, 8 x 5 x 8 H = 36 mm, 6 x 5 x 6 H = 37 mm, 10 x 5 x 10 H = 37 mm, 12 x 5 x 12									1321996A
	KKC84/1 holder with heater For interchangeable filters	■								1320016A
	KKC85/1 holder For interchangeable filters	■	■	■						1319823A

Fuel System

	DBW 2010/2016	Thermo 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Holder with housing for interchangeable filter L = 135 mm, H = 80 mm, light metal, M14 x 1.5 connection thread									1319291A
	Interchangeable filter For holder 1319291A									1320031A
	Fuel filter kit Da = 5 mm, L = 60 mm, plastic transparent, with hose clips and connecting hoses									1319466A
	Fuel hose for boats Di = 5 mm, Da = 15 mm, L = 50 mm									1320857A
	Fuel hose kit Di = 4.5 mm, Da = 10 mm, L = 50 mm, VOME-resistant									1322837A


Fuel System

	DBW 2010/2016	Thermo 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
Fuel hose										
Di = 4.5 mm, Da = 9 mm, L = 5000 mm	■	■	■	■	■	■	■	■	■	1321500A
Di = 4.5 mm, Da = 9 mm, L = 10000 mm	■	■	■	■	■	■	■	■	■	1321502A
Di = 5 mm, Da = 10 mm, L = 5000 mm	■	■	■	■	■	■	■	■	■	1321559A
Di = 5 mm, Da = 10 mm, L = 10000 mm	■	■	■	■	■	■	■	■	■	1321560A
Di = 6 mm, Da = 11 mm, L = 5000 mm	■	■	■							1321563A
Di = 6 mm, Da = 11 mm, L = 25000 mm	■	■	■							1321564A
Di = 8 mm, Da = 13 mm, L = 20000 mm, DIN 73379, with textile ply	■	■	■							1321688B
Molded hose										
Di min = 4.5 mm, Di max = 7.5 mm, with reduction, 90°		■	■	■	■	■	■	■	■	1319718A
Molded fuel hose										
Di min = 3.5 mm, Di max = 4.5 mm, RME-resistant, with reduction, 90°	■	■	■	■	■	■	■	■	■	1319677A
Fuel hose										
Da = 5 mm, PA12 ETFE										
Di = 1 mm, L = 12000 mm, blue		■	■	■	■	■	■	■	■	9028520A
Di = 1.5 mm, L = 100000 mm, black		■	■	■	■	■	■	■	■	9030532A
Di = 1.5 mm, L = 8000 mm, black		■	■	■	■	■	■	■	■	9030538A
Di = 1.5 mm, L = 11000 mm, black		■	■	■	■	■	■	■	■	9030540A
Di = 1.5 mm, L = 6000 mm, black		■	■	■	■	■	■	■	■	9030542A
Di = 1.5 mm, L = 3000 mm, black		■	■	■	■	■	■	■	■	9030543A
Di = 1.5 mm, L = 1500 mm, black		■	■	■	■	■	■	■	■	9030545A
Metal fuel line kit for boats										
Da = 5 mm, L = 5000 mm, EN ISO 7840 with screw fasteners, hoses and clips		■	■	■	■	■	■	■	■	66958B



Fuel System

	DBW 2010/2016	Thermo 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
Fuel line for boats										
Di = 1.5 mm, Da = 5 mm, L = 5000 mm, stainless steel			■	■	■	■	■	■	■	1320860A
Fuel pump hanger kit										
also for fastening to stud bolts belonging to the vehicle, for dosing pump DP2 and DP30			■	■	■	■	■	■	■	92296A
Fuel pump holder										
solid rubber, very quiet mounting, bag of 3 pieces			■	■	■	■	■	■	■	9023386A
Tank extracting device, riser pipe										
Di = 2.6 mm, Da = 5 mm, L = 650 mm, steel zinc coated, 90° extractor connection piece, only for installation in metal tanks			■	■	■	■	■	■	■	1320399A
Fuel tank										
L = 405 mm, W = 94 mm, plastic PE-LD, 12 liters	■		■	■	■	■	■	■	■	1322707B


Fuel System

	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
											1322531A
Fuel tank L = 405 mm, W = 200 mm, 24 liters, plastic PE-LD, with assembly kit				■	■	■	■	■	■	■	
				■	■	■	■	■	■	■	9025761A
											
Hose sealing cone											
Da = 5 mm, L = 30 mm	■	■	■								1319305A
Da = 6 mm, L = 30 mm	■	■	■								1319702A
Da = 8 mm, L = 32 mm	■	■	■								1320233A
											
Interchangeable filter KC 74-089											
For holders 1319823A and 1320016A	■	■	■								1320015A
											
Interchangeable RME filter											
For holder 1320017A	■	■	■								1320018A


Fuel System

	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
											
Molded fuel hose Di = 4.5 mm, Da = 10.5 mm, 90°											9023160A
VOME-resistant	■	■	■	■	■	■	■	■	■	■	9023384A
											
Fuel hose Di = 4.5 mm, Da = 10.5 mm											1321612B
L = 5000 mm, VOME-resistant	■	■	■	■	■	■	■	■	■	■	1321613A
L = 10000 mm, VOME-resistant	■	■	■	■	■	■	■	■	■	■	9023450A
L = 50 mm, bag of 20 pieces	■	■	■	■	■	■	■	■	■	■	
											
Fuel hose Di = 3.5 mm, Da = 4.5 mm, L = 50 mm, RME-resistant, with reduction											1320862A
											
Reducer pipe D1a = 6 mm, D2a = 8 mm, L = 40 mm, brass	■	■	■								1319590A
											
Molded hose Di = 4.5 mm, Da = 10.5 mm, 180°											1319686A

Fuel System

	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Screw fittings kit steel zinc coated, for soldered joints, Contents: double connection piece, union nuts, ring seals and sealing cone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							1320539A
	Riser pipe $Di = 3 \text{ mm}$, $Da = 6 \text{ mm}$, $L = 322 \text{ mm}$, plastic		<input type="checkbox"/>	1320413A							
	Support sleeve for reinforcing plastic pipes $Da = 6 \text{ mm}$, $L = 15 \text{ mm}$, brass, bag of 10 pieces	<input type="checkbox"/>	1321071A								
	$Da = 7 \text{ mm}$, $L = 36 \text{ mm}$	<input type="checkbox"/>	1320164A								
	$Da = 8 \text{ mm}$, $L = 15 \text{ mm}$	<input type="checkbox"/>	1320198A								
	Tank extracting device, riser pipe $Da = 6 \text{ mm}$, $L = 630 \text{ mm}$, steel zinc coated, with return, 90° extractor connection piece, only for installation in metal tanks	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>							1322830B
	Tank extracting device, riser pipe $Di = 2.4 \text{ mm}$, $Da = 4.2 \text{ mm}$, $L = 440 \text{ mm}$, stainless steel, Extractor connection piece, 39 mm long, vertical, for mounting in tank fitting, suitable for plastic tank and metal tank, M6		<input type="checkbox"/>	1322645A							


Fuel System

	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Tank extracting device $Di = 2.4 \text{ mm}$, $Da = 4.2 \text{ mm}$, $L = 26 \text{ mm}$, steel zinc coated, Extractor connection piece angled at 90°, for mounting in tank fitting, suitable for plastic tank and metal tank, short riser pipe, M6		<input type="checkbox"/>	1322827A							
	Tank extracting device $Di = 3 \text{ mm}$, $Da = 5 \text{ mm}$, $L = 39 \text{ mm}$, steel zinc coated, with mounting parts for installation in tank fittings with length compensation		<input type="checkbox"/>	9008021A							
	Tank extracting device $Di = 3 \text{ mm}$, $Da = 5 \text{ mm}$, $L = 500 \text{ mm}$, stainless steel, for fitting in tank ventilation line		<input type="checkbox"/>	1320836A							
	Fuel hose $Di = 6 \text{ mm}$, $Da = 12 \text{ mm}$, $L = 10000 \text{ mm}$, black, Biodesel or FAME resistant		<input type="checkbox"/>	9036443A							
	Fuel connection kit L 2 Banjo bolts DIN7643 10-3, 2 Banjo connections M14x1.5, 4 hose clamps, 4 sealing rings		<input type="checkbox"/>	9035490A							



Fuel System

		DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Fuel connection kit S 2 Banjo bolts DIN7643 6-3 S, 2 Banjo connections M10x1, 2 hose clamps, 4 sealing rings									■	9035486A	
	Fuel Filter cpl. Da = 76 mm, H = 108 mm, KC 20									■	9036520A	
	Fuel filter KC20 for holder 9036520A									■	9036522A	
	Heating adapter Heating adapter, protection cap, gasket									■	9036523A	
	Retrofit heating adapter heating adapter, temperature switch, 3 pin electrical connector, technical documentation									■	9037295A	



Fuel System

		DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Thermo Top Pro 120/150	Order number
	Ring Connection Piece Di = 14 mm, L = 56 mm, low pressure										■	1319810A
	Bag connection parts 2 compression rings BS-8, 2 pipe nozzle junctions 8-6, 2 coupling nuts A3-L8										■	9038207A
	Fuel extractor, T-piece L = 50 mm, steel H = 3.5 mm, 8 x 6 x 8 H = 3.8 mm, 10 x 6 x 10 H = 4 mm, 12 x 6 x 12									■	9035126A	
	Tank extracting device Di = 4 mm, Da = 6 mm, steel Dimensions: 8,5, 41, Da									■	9035128A	
										■	9035129A	
										■	9035099A	


Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Elbow Da = 90 mm, black, plastic	■	■		1320706A
	Elbow steel corrosion-resistant, 90° Di = 80.5 mm, Da = 79 mm, L = 115 mm Di = 102.5 mm, Da = 99 mm, L = 142 mm	■	■	1319272A	
	T-piece L = 110 mm, black, plastic Da = 60 mm Da = 90 mm	■	■	1320474A	
	T-piece Di = 90 mm, Da = 60 mm, black, plastic, with thread	■	■	1320476A	
	Adapter for heater connection L = 40 mm, black, plastic D1a = 75 mm, D2a = 60 mm D1a = 90 mm, D2a = 80 mm		■	1321005A	
				1320186A	


Hot Air System

		Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	Adaptor ring W = 17 mm Di = 55 mm, Da = 60 mm, aluminium Di = 70 mm, Da = 80 mm, black, plastic, for outlet 1319946A	■	■	■	1320224A
	Air ducting silencer Di = 90 mm, L = 600 mm, aluminium/plastic	■	■		1321734A
	Air outlet plastic, lockable, bag with wall feed through Da = 60 mm, black Da = 60 mm, white Da = 60 mm, grey Da = 90 mm, black Da = 90 mm, white Da = 90 mm, grey	■	■	■	1320206A
	Air outlet plastic, axiale flow, bag with wall feed through Da = 60 mm, black Da = 60 mm, white Da = 60 mm, grey Da = 90 mm, grey Da = 90 mm, white Da = 90 mm, black	■	■	■	1320935A
	Air outlet Da = 60 mm, D1a = 60 mm, D2a = 60 mm, L = 62 mm, black, plastic, axiale flow, bag with wall feed through	■	■		1322634A

Hot Air System

	Air outlet	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	D1a = 80 mm, D2a = 110 mm, L = 65 mm, black, plastic, insert grid, straight, rotating, 90°	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1322710A
	Air outlet plastic, through flow with bushing, 45° Da = 60 mm, black Da = 60 mm, white Da = 60 mm, brown Da = 60 mm, grey Da = 90 mm, grey Da = 90 mm, black Da = 90 mm, white	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320204A
	Air outlet Da = 90 mm, L = 65 mm, black, plastic, through flow with bushing, 45°	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1320956A
	Air outlet Da = 55 mm, D1a = 60 mm, D2a = 92 mm, L = 98 , black, plastic, rotatable, with bushing, with ball-type cover	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1322405A
	Air outlet D2a = 100 mm, L = 65 mm, black, plastic, lockable, bag with wall feed through D1a = 55 mm D1a = 70 mm, use for secondary flow only	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320812A

Hot Air System

	Clamp	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
	For Bowden Cable 1320785A and 1320786A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1319688A
	Console For mounting flexible pipes with corresponding hose clip	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321044A
	Control cable with grip and outer sleeve, for distributor 1319224A und 1319214A L = 850 mm L = 1500 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320785A
	Control device for distributor L = 2000 mm, for distributor 1320352A and 1320926A, with control butterfly valve	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1319868A
	Demist nozzle Da = 55 mm, steel corrosion-resistant	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1319470A

Hot Air System

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Distributor Y-unit black, plastic				
Da = 55 mm	■ ■ ■			1319416A
Da = 80 mm	■ ■			1319212A
Distributor Y-unit black, plastic				
D1a = 60 mm, D2a = 60 mm	■ ■ ■			1320814A
D1a = 80 mm, D2a = 55 mm, to be used in the secondary flow only	■ ■			1320753A
D1a = 80 mm, D2a = 60 mm	■ ■			1320471A
D1a = 90 mm, D2a = 80 mm	■ ■			1320375A
D1a = 90 mm, D2a = 90 mm	■ ■			1320470A
Distributor black, plastic, with remote control flap valve				
Da = 80 mm, L = 124 mm	■ ■			1319214A
Da = 55 mm, L = 95 mm	■ ■ ■			1319224A
Distributor black, plastic, with control butterfly valve				
Di = 60 mm	■ ■ ■			1320352A
Di = 90 mm	■ ■			1320926A
Double fitting black, plastic				
Da = 80 mm, L = 75 mm, for connecting flexible pipes	■ ■			1319476A
Da = 90 mm, L = 50 mm, for connecting flexible pipes	■ ■			1319869A
Da = 60 mm, L = 50 mm, connection for two air hoses	■ ■ ■			1320469A

Hot Air System

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Dual Top air intake cover Di = 60 mm, black, plastic	■			1314904A
End Cap black, plastic				
Da = 60 mm	■ ■ ■			1320477A
Da = 90 mm	■ ■			1319870A

Hot Air System

Hot Air System

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Flexible exhaust pipe, two-ply				
Di = 55 mm, L = 25000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311896C
Di = 80 mm, L = 25000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1311900C
Di = 80 mm, L = 1000 mm, AA	<input checked="" type="checkbox"/>			1321531A
Di = 80 mm, L = 5000 mm, AA	<input checked="" type="checkbox"/>			1321532A
Di = 80 mm, L = 10000 mm, AA	<input checked="" type="checkbox"/>			1321533A
Di = 55 mm, L = 2000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321580B
Di = 55 mm, L = 5000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321581B
Di = 55 mm, L = 10000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321722B
Di = 60 mm, L = 2000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321504A
Di = 60 mm, L = 5000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321505A
Di = 60 mm, L = 10000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321727C
Di = 60 mm, L = 25000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311898C
Di = 80 mm, L = 2000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321582B
Di = 80 mm, L = 5000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321583B
Di = 80 mm, L = 10000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321729B
Di = 90 mm, L = 2000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321506B
Di = 90 mm, L = 5000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321508A
Di = 90 mm, L = 25000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311902C
Di = 90 mm, L = 10000 mm, grey, PAPK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321731C
Di = 60 mm, L = 3000 mm, PAHK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321511A
Di = 55 mm, L = 10000 mm, PAK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321701B
Di = 55 mm, L = 20000 mm, PAK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321703B
Di = 80 mm, L = 10000 mm, PAK	<input checked="" type="checkbox"/>			1322147B
Di = 55 mm, L = 2000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1315889A
Di = 55 mm, L = 5000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321573B
Di = 55 mm, L = 10000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1322082A
Di = 55 mm, L = 25000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311891C
Di = 60 mm, L = 2000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321574B
Di = 60 mm, L = 5000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321575C
Di = 60 mm, L = 10000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1322083C
Di = 60 mm, L = 25000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311892C
Di = 80 mm, L = 2000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321576C
Di = 80 mm, L = 5000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321577B
Di = 80 mm, L = 10000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321718C
Di = 80 mm, L = 25000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311893C
Di = 90 mm, L = 2000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321578C
Di = 90 mm, L = 5000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321579C
Di = 90 mm, L = 10000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1321719C
Di = 90 mm, L = 25000 mm, black, APK	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1311894C

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Insulated hose				
L = 12000 mm, PAK				
Di = 80 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1321515A
Di = 90 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1321517A
Junction fitting				
D2a = 60 mm, black, plastic, 45°				
D1a = 60 mm, L = 145 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320472A
D1a = 90 mm, L = 146 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1320707A
Junction fitting				
Da = 80 mm, L = 370 mm, steel corrosion-resistant, 45°	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		1319315A
Louvre plate				
L = 190 mm, H = 170 mm, aluminium	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1319269A
Protective screen				
Di = 60 mm, rubber, for heater intake			<input checked="" type="checkbox"/>	1320173A


Hot Air System

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Reducer pipe black, plastic, for flexible pipe D1a = 60 mm, D2a = 55 mm, L = 35 mm D1a = 80 mm, D2a = 55 mm, L = 82 mm D1a = 90 mm, D2a = 80 mm, L = 45 mm			■	1320127A
	■	■		1319477A
	■	■		1320185A
Reducer pipe D1a = 80 mm, D2a = 60 mm, L = 190 mm, steel corrosion-resistant, for flexible pipe	■			1319312A
Reduction adapter Di = 90 mm, black, plastic, for connecting flexible pipes Da = 60 mm Da = 80 mm		■ ■		1320760A
	■ ■			1320925A
Rubber bellow	■			9018647C
Screen Di = 60 mm, black, plastic, for intake and outlet openings of heater		■		1320163A



Hot Air System

	Air Top Evo 40/55	Dual Top Evo	Air Top 2000 STC	Order number
Screen (anti-ingress) Di = 80 mm, Da = 112 mm, steel chromed	■			1319308A
Union nut for outlet L = 60 mm, black, plastic Da = 90 mm Da = 60 mm, for louvers with 60 mm diameter, suitable to fix with thread		■ ■		1320468A
	■ ■	■ ■		1320922A
Wall feed-through black, plastic Da = 60 mm Da = 90 mm		■ ■ ■		1320923A
	■ ■			1320924A
Wall pipe L = 73 mm, black, plastic D1a = 87 mm, D2a = 55 mm D1a = 110 mm, D2a = 80 mm		■ ■ ■		1320063A
	■ ■			1319471A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Braided protection hose Di min = 26 mm, Di max = 30 mm, polyester L = 1500 mm, chafing guard for polyester water hoses										1322409A
											1322513A
											1321596B
											1321597B
	Connecting piece Da = 18 mm, L = 75 mm, steel corrosion-resistant										1319266A
	Connecting pipe Da = 18 mm, L = 65 mm, steel corrosion-resistant, for thermostat										1319519A
	Connecting pipe Di = 15 mm, L = 75 mm, brass										1319279A
	Connecting pipe L = 63 mm D1a = 17 mm, D2a = 20 mm, black, plastic D1a = 18 mm, D2a = 22 mm, black, plastic D1a = 20 mm, D2a = 14 mm, aluminium D1a = 20 mm, D2a = 22 mm, black, plastic										1320143A 1320155A 1319722A 1319594A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Hose Di = 15 mm, Da = 22 mm, L = 2400 mm										1320300A
	Hose Di = 18 mm, Da = 25 mm, L = 2000 mm, PER-EPDM										1322423A
	Filter insert Da = 38 mm, for shutoff valve with filter 1319931A										1319710A
	Molded hose Di = 18 mm, Da = 25 mm, 90°										1319418A
	Molded hose Di = 18 mm, Da = 25 mm Di = 20 mm, Da = 27 mm										1319401A 1319623A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Molded hose Di = 18 mm, Da = 25 mm	■ ■ ■ ■ ■ ■ ■ ■									1320758A
	Molded hose Di = 18 mm, Da = 25 mm	■ ■ ■ ■ ■ ■ ■ ■									1319419A
	Molded hose D1a = 25 mm, D2a = 25 mm, with reduction	■ ■ ■ ■ ■ ■ ■ ■									1320871A
	Molded hose Di = 20 mm, Da = 28 mm, 180°	■ ■ ■ ■ ■ ■ ■ ■									1320156A
	Molded hose D1a = 22 mm, D2a = 25 mm, with reduction	■ ■ ■ ■ ■ ■ ■ ■									1319402A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Molded hose Da = 25 mm, 180°										1320790A
	Molded hose Di = 15 mm, L = 580 mm, H = 75 mm	■ ■ ■ ■ ■ ■ ■ ■									1319421A
	Molded hose Di = 18 mm, L = 580 mm	■ ■ ■ ■ ■ ■ ■ ■									1322496A
	Molded hose Di = 18 mm, L = 1100 mm, H = 75 mm	■ ■ ■ ■ ■ ■ ■ ■									1322493A
	Molded hose Di = 18 mm, Da = 25 mm, L = 110 mm, 180°	■ ■ ■ ■ ■ ■ ■ ■									1319455A
	Molded hose 360° Di = 18 mm, Da = 25 mm, L = 2200 mm	■ ■ ■ ■ ■ ■ ■ ■									1320783A
	Molded hose Di = 18 mm, Da = 25 mm, L = 3000 mm	■ ■ ■ ■ ■ ■ ■ ■									1319268A
	Molded hose Di = 20 mm, Da = 27 mm, L = 2200 mm	■ ■ ■ ■ ■ ■ ■ ■									1319631A
	Molded hose 90° Di = 15 mm, Da = 22 mm, L = 1020 mm	■ ■ ■ ■ ■ ■ ■ ■									1320789A
	Molded hose Di = 18 mm, Da = 25 mm, L = 125 mm	■ ■ ■ ■ ■ ■ ■ ■									1320907A
	Molded hose Di = 18 mm, Da = 25 mm, L = 500 mm	■ ■ ■ ■ ■ ■ ■ ■									1319953A
	Molded hose Di = 18 mm, Da = 27 mm, L = 1020 mm	■ ■ ■ ■ ■ ■ ■ ■									1320794A
	Molded hose Di = 20 mm, Da = 27 mm, L = 130 mm	■ ■ ■ ■ ■ ■ ■ ■									1320147A
	Molded hose Di = 20 mm, Da = 27 mm, L = 1020 mm	■ ■ ■ ■ ■ ■ ■ ■									1319839A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
						■ ■					1319934A
						■ ■ ■ ■ ■ ■ ■ ■					1319717A
						■ ■					1319679A
						■ ■ ■ ■ ■ ■ ■ ■					1319673A
						■ ■ ■ ■ ■ ■ ■ ■					1320913A

Water System

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
											1320856A
											1320374A
											1322832A
											1319289A
											1320532A
											1321001A
											1319290A
											1319846A
											1319602A
											1319817A

Water System


Valve


	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	T-piece Da = 18 mm, L = 75 mm, steel corrosion-resistant, with restrictor, restrictor diameter 4 mm	■ ■ ■ ■ ■ ■ ■ ■									1319800A
	Hose extension kit 8 SPRING BAND CLAMPS, 2 CONNECTING PIPES 20x20							■			9035488A

	Air Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Connecting pipe L = 75 mm, steel corrosion-resistant, with bleeder valve								
	Da = 15 mm	■ ■ ■ ■ ■ ■ ■ ■							1319221A
	Da = 18 mm	■ ■ ■ ■ ■ ■ ■ ■							1319219A
	Da = 20 mm	■ ■ ■ ■ ■ ■ ■ ■							1320989A
	Check valve black, plastic, without leak hole								
	Da = 15 mm, L = 104 mm	■ ■ ■ ■ ■ ■ ■ ■							1320239A
	Da = 15 mm, L = 104 mm	■ ■ ■ ■ ■ ■ ■ ■							1320240A
	Da = 18 mm, L = 90 mm	■ ■ ■ ■ ■ ■ ■ ■							1319250A
	Da = 18 mm, L = 100 mm	■ ■ ■ ■ ■ ■ ■ ■							1319484A
	Da = 20 mm, L = 120 mm	■ ■ ■ ■ ■ ■ ■ ■							1319554A
	Check valve Da = 18 mm, L = 104 mm, black, plastic, without leak hole								1320563A
	Check valve H = 42 mm								
	D1a = 18 mm, D2a = 18 mm, L = 146 mm, black, plastic, without leak hole	■ ■ ■ ■ ■ ■ ■ ■							1319485A
	D1a = 18 mm, D2a = 18 mm, L = 146 mm, black, plastic, with leak hole	■ ■ ■ ■ ■ ■ ■ ■							1319486A
	D1a = 20 mm, D2a = 20 mm, L = 162 mm, brass, with leak hole	■ ■ ■ ■ ■ ■ ■ ■							1319595A
	Check valve D1a = 18 mm, D2a = 18 mm, L = 82 mm, H = 82 mm, black, plastic, with bypass, without leak hole								1319255A

Valve

Valve


	Combination valve	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Da = 18 mm, brass / steel coated, with leak hole, starts to open at 40 °C	■ ■ ■ ■ ■ ■ ■								1319650A
	Shutoff valve Da = 38 mm, L = 200 mm, W = 85.5 mm, H = 131 mm, plastic PA66, Operating pressure -0.5 to 4 bar, fluid temperature -30 to 110 °C, weight 0.5 kg, with filter			■ ■						1319931A
	Electric valve Da = 20 mm, L = 106 mm, H = 100 mm, 12 V, metal / plastic, 2/2-way, normally open, operating temperature -40 to 85 °C	■ ■ ■ ■ ■ ■ ■								1319981A
	Electric valve Da = 18 mm, L = 84 mm, W = 55 mm, H = 101 mm, 12 V, metal / plastic, 3/2-way, open without power	■ ■ ■ ■ ■ ■ ■								9014606A
	Thermostatic valve L = 108 mm, H = 70 mm, brass / steel coated, with leak hole, starts to open at 59 °C									1319986A
	Da = 18 mm	■ ■ ■ ■ ■ ■ ■								
	Da = 20 mm	■ ■ ■ ■ ■ ■ ■								1320253A

	Thermostatic valve	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Thermo Top Pro 120/150	Order number
	Da = 20 mm, L = 112 mm, brass / steel coated, without leak hole, starts to open at 70 °C	■ ■ ■ ■ ■ ■ ■								1320033A
	Check valve opening pressure 0.2 bar, max pressure 25 bar, operating range -40 → +100°C, connection M14 x 1.5								■	9035523A
	Low pressure ball valve incl. 2 connections M14 x 1.5 / DIN 3852-2-A and 2 sealing rings								■	9035522A

Mounting Parts

	Air heater holding plate stainless steel, for reinforcement on thin body panels	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
		■	■								1320995A
	Anti-vibration mount L = 34 mm, bag of 5 pieces, not suitable for fastening heaters	■	■	■	■	■	■	■	■	■	9023020A
	Anti-vibration mount L = 53 mm, M6, not suitable for fastening heaters	■	■	■	■	■	■	■	■	■	1320270A
	Cailleau hose clip stainless steel, mounting with special tool, 10 pieces	■	■	■	■	■	■	■	■	■	9011661A
	Dual lock velcro strip L = 50 mm, W = 25 mm, black, plastic, self-adhesive	■	■	■	■	■	■	■	■	■	1320202A

Mounting Parts

	Edge protector with wire coil, sheet thickness 1 to 4 mm	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	L = 500 mm	■	■	■	■	■	■	■	■	■	1319778A
	L = 700 mm	■	■	■	■	■	■	■	■	■	1320093A
	Holder for air heaters stainless steel, suitable for various installation options	■	■								1319936A
	Hose and cable holder black, plastic, bag of 5 pieces	■	■	■	■	■	■	■	■	■	9010999A
	D1 = 10 – 12, D2 = 19 – 24.5	■	■	■	■	■	■	■	■	■	
	Di = 22 mm, D1 = 22 – 24, D2 = 22 – 24	■	■	■	■	■	■	■	■	■	9011000A
	Di = 25 mm, D1 = 25 – 28, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	■	9011001A
	Di = 27 mm, D1 = 27, D2 = 27, locking	■	■	■	■	■	■	■	■	■	9010997A
	Di = 37 mm, D1 = 37 – 41, D2 = 21.5 – 24	■	■	■	■	■	■	■	■	■	9011002A
	Hose clip bolt head with hexagon and cross-head slot	■	■	■	■	■	■	■	■	■	1320244A
	Di = 8 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	
	Di = 9 mm, steel corrosion-resistant	■	■	■	■	■	■	■	■	■	1320492A
	Di = 10 mm, steel corrosion-resistant, bag of 50 pieces	■	■	■	■	■	■	■	■	■	9023037A
	Di = 12 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320246A
	Di = 14 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320245A
	Di = 14 mm, stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320249A

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
Hose clip										
SW = 7, bolt head with hexagon and cross-head slot										1320248A
Di min = 16 mm, Di max = 25 mm, steel corrosion-resistant, bag of 20 pieces	■	■	■	■	■	■	■	■	■	
Di min = 16 mm, Di max = 27 mm, stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9015918A
Di min = 23 mm, Di max = 35 mm, stainless steel, bag of 20 pieces	■	■	■	■	■	■	■	■	■	1320271A
Di min = 32 mm, Di max = 50 mm, steel corrosion-resistant, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1321064A
Hose clip										
Bolt head with hexagon and slot										
Di = 40 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320158A
Di = 48 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320159A
Di = 70 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320223A
Di = 72 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320160A
Di = 78 mm, W = 12.7 mm, stainless steel, SW = 7	■	■	■	■	■	■	■	■	■	1320817A
Di = 98 mm, W = 14.3 mm, steel corrosion-resistant, SW = 8	■	■	■	■	■	■	■	■	■	1320161A
Housing cover										
As replacement when using external temperature sensor, with grommet										1319621A
Locking compound										
red, 20 ml, for nuts and bolts	■	■	■	■	■	■	■	■	■	1320535A

Mounting Parts

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
Mounting base										
H = 35 mm, aluminium / steel, for air heaters, for mounting air heaters on the vehicle floor, overall height of 35 mm makes them suitable for very thick carpets / mats / insulation or other cladding	■	■								1321444A
Mounting bracket										
L = 46 mm, W = 25 mm										
stainless steel, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320264A
steel zinc coated, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1320232A
Mounting strip										
L = 100 mm, W = 25 mm										
stainless steel	■	■	■	■	■	■	■	■	■	1319818A
steel zinc coated, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9007918A
Pin lock										
Da = 12.5 mm, steel corrosion-resistant, M6, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9011659A
Pipe clamp										
W = 16 mm, stainless steel, for flexible exhaust pipe										
Di = 24 mm, with carriage bolt	■	■	■	■	■					1320165A
Di = 26 mm, nut, welded						■				1320220A

Mounting parts

Mounting Parts

	Pipe clamp	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	steel corrosion-resistant, for flexible exhaust pipe										
	Di = 24 , W = 10.4 mm, with screw	■	■	■	■						1320815A
	Di = 30 , Da = 33 , with carriage bolt				■						1320203A
	Di = 39 , W = 13.5 mm, with screw				■	■					1320194A

	Pipe clip	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Di = 18 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320042A
	Di = 25 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole, bag of 10 pieces	■	■	■	■	■	■	■	■	■	9023007A
	Di = 28 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320277A
	Di = 33 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole	■	■	■	■	■	■	■	■	■	1320064A
	Di = 42 mm, W = 12 mm, stainless steel, 5.2 mm fastening hole	■	■	■	■	■	■	■	■	■	1319693A
	Di = 42 mm, W = 15 mm, stainless steel, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320276A
	Di = 52 mm, W = 15 mm, steel zinc coated, 6.5 mm fastening hole, bag of 5 pieces	■	■	■	■	■	■	■	■	■	1320265A
	Pipe clip										
	rubber-coated pipe clip										
	Di = 5 mm, W = 12 mm, stainless steel, 5.2 mm fastening hole	■	■	■	■	■	■	■	■	■	1320195A
	Di = 29 mm, W = 15 mm, steel zinc coated, 6.4 mm fastening hole	■	■	■	■	■	■	■	■	■	1320235A
	Di = 34 mm, W = 15 mm, steel zinc coated, 6.4 mm fastening hole	■	■	■	■	■	■	■	■	■	1319701A
	Di = 34 mm, W = 20 mm, bag of 10 pieces, steel zinc coated, 8.4 mm fastening hole	■	■	■	■	■	■	■	■	■	1320236A
	Rivet-in nut										
	D1a = 13 mm, D2a = 9 mm, L = 15.5 mm, aluminium, bag of 10 pieces, M6	■	■	■	■	■	■	■	■	■	9022835A
											9011635A

Mounting Parts

	Rubber ring (anti-chafing device)	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	not permitted for exhaust systems										
	Da = 31 mm, L = 15 mm, black, elastomer, bag of 10 pieces	■	■	■	■	■	■	■	■	■	1321063A
	Da = 40 mm, L = 20 mm, black, elastomer	■	■	■	■	■	■	■	■	■	1312785A
	Da = 45 mm, L = 20 mm, red, EPDM-50	■	■	■	■	■	■	■	■	■	1312780A
	Self-tapping screw										
	Da = 6 mm, L = 22 mm, steel zinc coated, bag of 10 pieces, SW = 10										9011669A
	Self-tapping stud bolt										
	steel zinc coated, bag of 10 pieces, M6										
	L = 16 mm										9006446A
	L = 31 mm										9009025A
	Spacer bushing										
	aluminium										
	Di = 7 mm, Da = 18 mm, L = 8 mm	■	■	■	■	■	■	■	■	■	1320091A
	Di = 8 mm, Da = 20 mm, L = 5 mm	■	■	■	■	■	■	■	■	■	1320498A
	Di = 8 mm, Da = 20 mm, L = 8 mm	■	■	■	■	■	■	■	■	■	1320499A
	Di = 8 mm, Da = 20 mm, L = 10 mm	■	■	■	■	■	■	■	■	■	1320496A
	Di = 8 mm, Da = 20 mm, L = 15 mm	■	■	■	■	■	■	■	■	■	1320090A
	Di = 8 mm, Da = 20 mm, L = 20 mm	■	■	■	■	■	■	■	■	■	1320088A
	Di = 8 mm, Da = 20 mm, L = 30 mm	■	■	■	■	■	■	■	■	■	1320089A
	Di = 8 mm, Da = 20 mm, L = 40 mm	■	■	■	■	■	■	■	■	■	1319533A
	Di = 9 mm, Da = 25 mm, L = 14 mm	■	■	■	■	■	■	■	■	■	1320092A

Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Spacer nut steel corrosion-resistant, SW = 17, M6										
	L = 15 mm	■	■	■	■	■	■	■	■	■	1320256A
	L = 20 mm	■	■	■	■	■	■	■	■	■	1320241A
	L = 30 mm	■	■	■	■	■	■	■	■	■	1320083A
	L = 40 mm	■	■	■	■	■	■	■	■	■	1319517A
	Spring clip W = 12 mm, steel corrosion-resistant, bag of 10 pieces										
	Di = 22 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9011662A
	Di = 25 mm, light grey	■	■	■	■	■	■	■	■	■	9009019A
	Di = 25 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009022A
	Di = 27 mm, dark grey	■	■	■	■	■	■	■	■	■	9009018A
	Di = 27 mm, black, Space-saving clip, E2	■	■	■	■	■	■	■	■	■	9009023A
	Di = 28 mm, black, Space-saving clip, E1	■	■	■	■	■	■	■	■	■	9014607A
	Holder steel corrosion-resistant, standard holder	■	■								1320500A
	Holder steel corrosion-resistant, for horizontal installation	■	■								1320495A
	Holder steel corrosion-resistant, for vertical installation	■	■								1320494A


Mounting Parts

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo 230/300/350	Thermo S 230/300/350/400	Order number
	Union nut M14 x 1.5 connection thread, SW = 19, bag of 10 pieces										1320243A
	Air Top Box metal / plastic, for mounting Webasto air heaters on commercial vehicle bodies, with holder and mounting accessories							■	■		9005942B
	Installation box steel, with mounting parts								■		9016392B
	Installation box steel, enables additional installation options, including heating air adapter							■			86032A
	Installation box steel, with mounting parts							■			1311609B

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Blocking diode 3 A, with connection cables	■ ■ ■ ■ ■ ■ ■									1320826A
	Compartment thermostat L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, mechanical (changeover contact), for vehicle blower		■ ■								1320587A
	Compartment thermostat L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, for vehicle blower, mechanical (changeover contact), with on/off switch		■ ■								1320415A
	Compartment thermostat L = 75 mm, W = 28 mm, H = 75 mm, black, plastic, mechanical (changeover contact) with on/off switch and ventilation										1320416A
	Plug kit Replacement for 10-pin plug on standard wiring harness, with connection materials			■							9029701A

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Plug kit Replacement for 2-pin plug on the standard wiring harness, with connection materials			■							9029702A
	Plug kit Replacement for 4-pin plug on standard wiring harness, with connection materials, plug suitable for PC diagnosis			■							9029703A
	Extension cable control panel Standard/MC L = 1800 mm	■ ■ ■ ■									1319724A
	Fastening base black, plastic, for fuse holders, 1320313A, 1320157A, 1320151A, with screws	■ ■ ■ ■ ■ ■ ■									1320873A
	Flat spring contact 0.5 ... 1.5, 2.8 mm, with seals and plugs, bag of 10 pieces	■ ■ ■ ■ ■ ■ ■									9011664A

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
Flat spring contact											
For fuse holder, watertight, bag of 10 pieces											
0.5 ... 1.5	■	■	■	■	■	■	■	■	■	■	9011645A
2.0 ... 3.0	■	■	■	■	■	■	■	■	■	■	9011647A
4.0 ... 6.0	■	■	■	■	■	■	■	■	■	■	9009029B
Junior power timer											
0.5 ... 1, also for blade-type plug, watertight, bag of 10 pieces	■	■	■	■	■	■	■	■	■	■	9011634B
Micro Quadlok System socket contact											
0.75, 2.8 mm, for 6-pin watertight plug sleeve casing, bag of 10 pieces	■	■	■	■	■	■	■	■	■	■	9011666A
Fuse holder											
black, plastic, for flat fuses SAE J1284, watertight											
1 A, for 1 A blade fuse, for 6.3 mm tab connector, with slot marking in black	■	■	■	■	■	■	■	■	■	■	1320313A
5 A, for 5 A blade seal, for 6.3 mm tab connector, with slot marking in beige	■	■	■	■	■	■	■	■	■	■	1320157A
20 A, for 20 A blade fuse, for 6.3 mm tab connector, with slot marking in yellow	■	■	■	■	■	■	■	■	■	■	1320151A
Fuse holder kit											
black, plastic, watertight, replaces triple fuse holder on heater wiring harness, contents: 3 1320313A fuse holders and mounting parts (without fuses and mounting bases)	■	■	■	■	■	■	■	■	■	■	1321809A


Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
Additional fuse kit											
black, plastic, watertight, for flat fuses SAE J1284, watertight	■	■	■	■	■	■	■	■	■	■	1301682A
Heat shrinkable hose											
Di min = 19 mm, Di max = 38 mm, wall thickness 1 mm, shrinkage rate 2:1, operating temperature range -55 °C to +125 °C											
L = 100 mm	■	■	■	■	■	■	■	■	■	■	1322452A
L = 5000 mm	■	■	■	■	■	■	■	■	■	■	1321590A
L = 50000 mm	■	■	■	■	■	■	■	■	■	■	1321589A
IPCU (kit)											
black, plastic case, with IPCU module, wiring harnesses and installation instructions, for PWM of vehicle blowers	■	■									9013645A
IPCU module											
black, plastic case, for PWM of vehicle blowers	■	■									1322640A
Wiring harness adapter kit											
for connection of old to new wiring harness									■		1320837A

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Plug kit Replacement for 2-pin plug on the fuel pump wiring harness, with connection materials and assembly instructions, for fuel pump DP 42	<input checked="" type="checkbox"/>					1318966A					
	Plug sleeve casing For 6.3 mm receptacles, 1-pin, bag of 20 pieces	<input checked="" type="checkbox"/>	1320229A									
	Plug sleeve casing for fuel pump or extensions, watertight, bag of 5 pieces											9021277A
	Plug sleeve casing for 6.3 mm tab receptacles, 2-pin	<input checked="" type="checkbox"/>	1319698A									
	Plug sleeve casing for 6.3 mm tab receptacles, 4-pin, bag of 10 pieces											1321698A

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Plug sleeve casing for 6.3 mm tab receptacles, 6-pin, bag of 10 pieces	<input checked="" type="checkbox"/>	1321670A									
	Programming wiring harness									<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1319879B
	Relay (changeover contact) kit 12 V, black, plastic case, with connector housing and flat fuses	<input checked="" type="checkbox"/>	9023375A									
	Relay (changeover contact) with freewheeling diode 24 V, Protection class IP67, with mounting tab for M5 screw											1320214A
	Relay (changeover contact) 12 V, black, plastic case, protection class IP67, without mounting tab	<input checked="" type="checkbox"/>	1320947A									



Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Relay (changeover contact) 12 V, grey, plastic case, with included mounting tab, freewheeling diode	■	■	■	■	■						1319954A
	Relay base without mounting tab, for standard relay	■	■	■	■	■	■	■	■	■	■	1320538A
	Relay base with mounting tab, for standard relay	■	■	■	■	■	■	■	■	■	■	1320540A
	Resistor kit W = 46 mm, H = 20 mm, 40 W, 0.9 Ω, with plugs and fastening parts	■		■								97981A
	Single-wire seal											
	Da = 4.1 mm, L = 9 mm, green, 0.5 ... 0.75, bag of 20 pieces	■	■	■	■	■	■	■	■	■	■	9011955A
	Da = 5.4 mm, L = 8 mm, white, 1.5 ... 2.5, bag of 10 pieces	■	■	■	■	■	■	■	■	■	■	9011627A
	Da = 5.4 mm, L = 8 mm, light blue, 0.35 ... 1.00, bag of 20 pieces	■	■	■	■	■	■	■	■	■	■	9011626A
	Da = 5.6 mm, L = 8 mm, red, for MTA-fuse holder, bag of 20 pieces	■	■	■	■	■	■	■	■	■	■	9011631A


Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Tab connector 1 ... 2.5, 0.5 mm, for watertight plug connections, with seals and plugs, bag of 2 pieces	■	■	■	■	■	■	■	■	■	■	9011628A
	Plug sleeve casing 0.5 mm, 2-pin, watertight, bag of 5 pieces	■	■	■	■	■	■	■	■	■	■	9011632B
	Tab connector housing for 6.3 mm tab connector, 1-pin, bag of 20 pieces											9006460A
	Tab connector housing for 6.3 mm tab receptacles, 2-pin, bag of 20 pieces	■	■	■	■	■	■	■	■	■	■	1320230A
	Tab connector housing for 6.3 mm tab receptacles, 4-pin	■	■	■	■	■	■	■	■	■	■	1319699A

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Tab connector housing for 6.3 mm tab receptacles, 6-pin, bag of 20 pieces	<input checked="" type="checkbox"/>			1320231A						
	Tab connector housing for 6.3 mm tab receptacles, 8-pin, bag of 10 pieces	<input checked="" type="checkbox"/>	1321669A								
	Tab connector housing for standard wiring harness, 2-pin, watertight, with flat spring contacts and single-wire seals				<input checked="" type="checkbox"/>						9021719A
	Repair kit for wiring harness with 2-pin and 6-pin socket housings, flat spring contacts and single-wire seals				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>					9011968A
	Tab receptacle 6.3 mm, for cable cross section 0.5 - 1.0 mm ² , bag of 10 pieces	<input checked="" type="checkbox"/>	9011636A								
	6.3mm, for cable cross section 1.0 mm ² , bag of 10 pieces	<input checked="" type="checkbox"/>	9011652A								
	6.3mm, for cable cross section 2.5 mm ² , bag of 10 pieces	<input checked="" type="checkbox"/>	9011641A								
	6.3 mm, for cable cross section 2.5 mm ² , bag of 50 pieces	<input checked="" type="checkbox"/>	1320228A								

Electrical Accessories

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Tab receptacle bag of 10 pieces										
	for cable cross section 0.8 - 2.5 mm ²	<input checked="" type="checkbox"/>	9011640A								
	for cable cross section 4.0 - 6.0 mm ²	<input checked="" type="checkbox"/>	9014955A								
	Temperature sensor external L = 5000 mm										1319842A
	L = 2500 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								9030881A
	L = 5000 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								9030883A
	L = 5000 mm, with housing cover	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								93205A
	L = 20000 mm, with housing cover		<input checked="" type="checkbox"/>								92649B
	Temperature sensor external L = 2500 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
	L = 5000 mm	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
	L = 5000 mm, with housing cover	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>								
	L = 20000 mm, with housing cover		<input checked="" type="checkbox"/>								
	Temperature switch										
	Closes at 2 °C, for operating the parking heater as an auxiliary heater										1319804A
	Closes at 10 °C, for operating the parking heater as an auxiliary heater										1321617A
	Closes at 12 °C, for operating the parking heater as an auxiliary heater										9030618A
	Holder For temperature switch, for mounting the temperature switch on the vehicle										1319805A

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Thermo Top C dummy plug if coolant pump is omitted, with resistor					■						1319667A
	Wiring harness extension for standard wiring harness					■	■					1319720A
	Plug kit Replacement for 2- and 6-pin plugs on standard wiring harness, with connection materials					■						1319023A
	Y adapter for wiring harness for retrofitting ThemoCall with Telestart already fitted					■			■			1319820A
	Y adapter for wiring harness Telestart digital timer 1533 connection					■						1319873A

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Extension cable L = 1500 mm, 230 V, orange											■ 1325983A
	Fixation for mounting cable											■ 1325987A
	House connecting cable 230 V, black L = 2500 mm L = 5000 mm L = 10000 mm L = 3500 mm											■ 1325978B ■ 1325980B ■ 1325981B ■ 1325985B
	House connecting cable angled L = 2500 mm, 230 V, angled, black											■ 1325979B
	Installation kit mounting cable complete											■ 1325988A

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Safety lock inlet for mounting and extension cable (230 V)									■	1326713A	
	Mounting plate									■	1325974A	
	Harness Blower Control for blower control eThermo Top Eco to Thermo Top Evo									■	1325724A	
	Temperature switch L = 83.5 mm, copper alloy, opens at 0,5°C +/- 2,5°C, closes at 5,5°C +/- 2,5°C, M14 x 1.5 connection thread									■	9036519A	
	Wiring harness L = 4500 mm, bushing housings 2 pol, 4 pol, 12 pol.									■	9034537A	

Electrical Accessories

		Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
	Wiring harness vehicle fan L = 1600 mm									■		1321993A
	Fuse holder L = 1000 mm									■		1321992A
	Bag electric with 5pol. relay and connectors									■		9024913A
										■		9024914A
	Bag connector 12 pin Bushing housing 12 pol., cover cable exit 90°, 9 bushing contacts MCP 1.5K, 9 seals, 9 blind plugs									■		9035426A
	Bag connector 2 pin Bushing housing 2 pol., cover cable exit 90°, 2 bushing contacts MCP 6,3, 2 seals									■		9035427A

Electrical Accessories

Maintenance and Diagnostics


	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	DBW 2010/2016	Thermo Top Pro 120/150	Dual Top Evo	eThermo Top Eco 20 P/30 P	Order number
								■			9035429A

Bag connector U4850

kit connectors for coolant pump U4850 and for Thermo Pro 120/150

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Top C/E	Thermo Pro 90	Dual Top Evo	Thermo Top Pro 120/150	Thermo 230/300/350	DBW 2010/2016	Thermo S 230/300/350/400	Order number
												1319503A
												1319943A
												1320899A
												1319945A
												1319685A

Maintenance and Diagnostics

	Air Top 2000 STC	Air Top Evo 40/55	Thermo Top Evo	Thermo Pro 50 Eco	Thermo Pro 90	Dual Top Evo	Thermo Top Pro 120/150	Thermo Top C/E	Thermo 230/300/350	DBW 2010/2016	Thermo S 230/300/350/400	Order number
			■									1319941A
									■			1320998A
		■	■	■	■	■	■	■	■	■	■	1320920A

Webasto subsidiaries and representatives

Head Office Webasto Thermo & Comfort SE Friedrichshafener Straße 9 82205 Gilching Tel.: +49 89 85794-0 www.webasto.com	Brazil ACA – Ar Condicionado Automotivo 661, R. Henrique Gonzaga de Souza Neto Guatupê, São José dos Pinhais PR, 83060-460, Brasil Phone: +55 41 3098-8686 www.aca.ind.br	Denmark Webasto Thermo & Comfort Denmark A/S Islevdalvej 180 2610 Rødvore/Copenhagen Phone: +45 44522000 www.webasto.dk
Argentina FRIBA TECNOLOGÍA S.A. Av. Pavón 4080/84 C1253AAY Buenos Aires Phone: +54 11 49242117 www.friba.com.ar	Bulgaria Rhea MP GmbH ul. Boris Iliev 17 1839 Sofia Phone: +359 2 9420555 www.rheamp.com	Estonia AS KG KNUTSSON Saeveski 12 11214 Tallinn Phone: +372 6 519300 www.kgk.ee
Australia Webasto Thermo & Comfort Australia Pty. Ltd. 423-427 The Boulevarde NSW 2232 Kirrawee Phone: +61 2 85364800 www.webasto.com.au	Chile Webasto Thermo & Comfort - LATAM Hermanos Cabot 6707 - Dpt. 126 Las Condes – Santiago de Chile 7561255 – Chile Phone: +56 (9) 4683 1100 www.webasto.es	Finland Oy Kaha AB Ansatie 2 01740 Vantaa Phone: +358 9 61568379 www.kaha.fi
Austria Webasto Fahrzeugtechnik G.m.b.H. Jochen-Rindt-Straße 19 1230 Vienna Phone: +43 1 6043780 www.webasto.at	China Webasto Thermo & Comfort Technology (Beijing) Co. Ltd. A 2105, Building 2, Boya International Center No. 1 Lize Zhongyi Road Chaoyang District 100102 Beijing Phone: +86 10 84782320 www.webasto.cn	France Webasto Thermo & Comfort France S.A.S. PA Estuaire Sud Rue du Camp d'Aviation 44320 Saint Viaud Phone: +33 (0) 1 69 13 84 00 www.webasto-france.fr
Belarus Falkat GmbH Ul. Drozda 8 220004 Minsk Phone: +375 17 2001894 www.falkat.com	Germany Webasto Thermo & Comfort SE Friedrichshafener Straße 9 82205 Gilching Phone: +49 (0) 395 5592-229 www.webasto.de	Great Britain Webasto Thermo & Comfort UK Ltd. White Rose Way South Yorkshire Doncaster DN4 5JH Phone: +44 (0) 1302 322232 www.webasto.co.uk
Benelux Webasto Thermo & Comfort Benelux B.V. Constructieweg 47 8263 BC Kampen Phone: +31 38 3371137 www.webasto.nl	Czech Republic Webasto Thermo & Comfort Czech Republic s.r.o. Na Strži 1373/35 14000 Praha 4 Phone: +420 241045450-7 www.webasto.cz	Maintenance and Diagnostics

Webasto subsidiaries and representatives

Greece
SYSTEMS S.A.
73rd, Agias Annis street
18233 Rentis
Phone: +30 210 3472105
www.systemssa.gr

Hungary
Webasto Thermo & Comfort
Hungária Kft.
Szent László út 73
1135 Budapest
Phone: +36 1 3502338
www.webasto.hu

Iceland
Bilasmidurinn hf.
Bíldshofda 16
110 Reykjavik
Phone: +354 5672330
www.bilasmidurinn.is

India
Webasto Roofsystems
India Pvt. Ltd.
Ghat 838/1, Pune Nagar Highway
District: Sanaswadi
412208 Pune
Phone: +91 2137619902
www.webasto.com

Italy
Webasto Thermo & Comfort
Italy S.r.L.
Via Efrem Nobili 2
40062 Molinella (BO)
Phone: +39 051 6906 248
www.webasto.it

Japan
Webasto Thermo & Comfort
Japan Co. Ltd.
3-19-5 Shin-Yokohama Kohoku-ku
Kanagawa Prefecture
222-0033 Yokohama
Phone: +81 45 4741761
www.webasto.co.jp

Kazakhstan

Webasto Thermo & Comfort

Kazachstan LLP
Alash High Road office No. 101, 22
01000 Astana city
Phone: +7 383 3637115
www.webasto.ru

Latvia

KG Knutsson SIA

Gunara Astras iela 3
1084 Riga
Phone: +371 67 807 870
www.webasto.lv

Lithuania

UAB KG Knutsson

Jocioniu g. 14
02300 Vilnius
Phone: +370 2758181
www.kgk.lt

Moldavia – via Webasto Romania

Webasto Romania Trading S.R.L.

Sos Odai, nr.40
075100 Otopeni, Ilfov
Phone: +40 21 2032751
www.webasto.ro

Mongolia - via Webasto China

Webasto Thermo & Comfort

Technology (Beijing) Co. Ltd.
A 2105, Building 2, Boya International
Center
No. 1 Lize Zhongyi Road
Chaoyang District
100102 Beijing
Phone: +86 10 84782320
www.webasto.cn

Netherlands

Webasto Thermo & Comfort

Benelux B.V.
Constructieweg 47
8263 BC Kampen
Phone: +31 38 3371137
www.webasto.nl

Norway

Webasto Thermo & Comfort

Norway
Industriveien 34A
2072 Dal
Phone: +47 61162000
www.webasto.no

Poland

Webasto Petemar Sp. z.o.o.

ul. Warszawska 205/219
05-092 Lomianki
Phone: +48 22 7327320
www.webasto.pl

Romania

Webasto Romania Trading S.R.L.

Sos Odai, nr.40
075100 Otopeni, Ilfov
Phone: +40 21 2032751
www.webasto.ro

Russia

Webasto Rus OOO

Ul. Gorki Kiovskie, vl. 13
141730 Lobnya
Moscow Region
Phone: +7 495 5796020
www.webasto.ru

Slovakia

Webasto Thermo & Comfort

Slovakia s.r.o.
Galgovecká ulica 3
040 11 Košice
Phone: +421 5 57871000
www.webasto.sk

Slovenia

Webasto Thermo & Comfort

avtomobilska tehnika d.o.o.
Cesta v Gorice 34
1000 Ljubljana
Phone: +386 1 2008712
www.webasto.si

Webasto subsidiaries and representatives

South Korea

Webasto Korea Inc.

Indeogwon IT Valley,
40 Imi-ro, Bldg. B, Suite 612
16006 Uiwang-si, Gyeonggi-do
Phone: +82 31 80170241
www.webasto.kr

Ukraine

Thermo Projects Ukraine LLC

Nezalezhnosti boulevard, 20
07400, Brovary, Ukraine
Phone: +38 (044) 503-31-76
www.webasto.com.ua

Spain

Webasto Thermo & Comfort

Íberica S.L.U.
C/Mar Tirreno 33
Polígono Industrial
28830 San Fernando de Henares
(Madrid)
Phone: +34 91 626 86 11
www.webasto.es

Sweden

KG Knutsson AB

Hammarbacken 8
19181 Sollentuna. Stockholm
Phone: +46 8 923000
www.kgk.se

Turkey

Webasto Thermo Comfort

Iklimlendirme Sistemleri
Ticaret Limited Sirketi
Manisa Organize Sanayi Boelgesi 4.
Kısim
Ahmet Nazif Zorlu Bulvari No: 8
45030 Manisa

Phone: +90 236 226 90 00
www.webasto.com.tr

USA

Webasto Thermo & Comfort North

America Inc.

15083 North Road
FENTON MI 48430-1384
Phone: +1 810 593 5902
www.webasto.us



Notes



Since its foundation in 1901 the Webasto group has continued to set new technological standards in the original equipment and aftermarket sector. Today, we are one of the 100 biggest suppliers in the automotive industry worldwide. We develop and produce roof, convertible as well as heating, cooling and ventilation systems. Our products help provide a better atmosphere on the road, more comfort and security, as well as increased efficiency for cars, commercial and special vehicles, motor homes and boats. An outstanding network of production facilities and dealers guarantees high-quality products, installation standards and services worldwide.